D!BS API

Article Number: 480 | Rating: Unrated | Last Updated: Mon, Aug 19, 2019 at 10:02 AM

Web APIs return data that can be consumed on a broad range of clients, including browsers, mobile devices, and traditional desktop applications. A data returned by the WebAPI will be in either XML or JSON format. The format, or content type, is determined by means of content negotiation between the API and the requesting device via the Accept header, which is specific to the type of device sending the request.

There are six Web APIs available in D!BS. The table below briefly describes each WebAPI and outlines the structure of the returned data. The language of the returned data structure is shown in XML (attributes appearing in the root element are omitted for clarity). In the Web API and Description column, the data variables are in bold italics. In the Structure of Returned Data column, the data types are in bold italics.Â

Web API and Description	Structure of Returned Data
<u>Buildings API Â</u> â€l /dibsapi/buildings Returns	< ArrayOfDibsBuilding> Â Â < DibsBuilding> Â Â Â Â
data of the complete list of buildingsÂ	<buildingid> <i>Integer </i></buildingid> Â Â Â
	<description>String</description> ÂÂÂÂ
	<pre><latitude>Decimal</latitude> Â Â Â </pre> Longitude>
	Decimal Â Â Â < Name>String
	 Â Â Â <picture>Url</picture> Â Â </td
	DibsBuilding> ArrayOfDibsBuilding Â
<u>Building-By-ID API Â</u> … /dibsapi/buildings/ <i>idÂ</i>	< DibsBuilding> Â Â <buildingid> <i>Integer </i></buildingid>
Returns data for one building given the building'sidÂ	> Â Â < Description > String Description Â Â
	<latitude> Decimal </latitude> Â Â <longitude></longitude>
	Decimal Â Â <name>String</name> Â
	Â <picture><i>Url</i></picture> DibsBuilding Â

Rooms API â€l /dibsapi/rooms Returns da of the complete list of all roomsÂ	ta <arrayofdibsroom> Â Â < DibsRoom > Â Â Â Â < BuildingID>Integer Â Â Â Â Â < Oescription> String Â Â Â Â < Map> Url Â Â Â Â < Name> String Â Â Â Â Â < Picture> Url Â Â Â Â < RoomID> Integer Â Â A</arrayofdibsroom>

Note:When thereis no data returned for a given request, only the root node is returned, that is <ArrayOfRoomsAvailableHoursData xmlns:i="http://www.w3.org/2001/XMLSchema-instance"Â xmlns="http://schemas.datacontract.org/2004/07/Evanced.Dibs.DataClasses.MeetingRoomsMobileData">. At the bottom of this page, the examples illustrate how these Web APIs can be consumed using HTML with jQuery and then C# .Net.Â

Please note that Evanced's support is limited to the functionality of the D!BS API and the way it looks independently. Evanced does not provide support for implementing the API on your site, nor does it provide support for the APIÂ after installation on your site.

Custom Fields

Applicable To: All Users

• Attachments: Yes

• Summary: Public API for Dibs

Online URL: https://kb.demcosoftware.com/article.php?id=480